



Date: see official signature
Contact: [Redacted]
T: [Redacted]
E-Mail: inspections@basg.gv.at
Our reference: INS-484260-101165572-17833884

INSPECTION OF THIRD COUNTRY SOURCE PLASMA / RECOVERED PLASMA SITES [Redacted]

We refer to the inspection performed for your company at
**Canadian Plasma Resources Corporation, 370 Elmwood Drive Unit 4, Moncton, NB, E1A 8R5,
Canada**
premises on 04 August 2022 by the Federal Office for Safety in Healthcare (BASG).

On the basis of the distant assessment and subsequent correspondence, we can confirm that operations relating to the safety and quality of plasma are in general compliance with the requirements of Commission Directives 2004/33/EC and 2005/62/EC implementing Directive 2002/98/EC of the European Parliament and of the Council, the relevant European Pharmacopoeia Monograph(s) and Directive 2003/94/EC.

This letter reflects the status of the plasma collection site at the time of the inspection noted above. The Issuing Authority has established appropriate inspection and control measures for the above named site(s) to deem it compliant until **November 2023**. This letter should not be relied upon to reflect the compliance status if the above mentioned date has been exceeded, after which the issuing authority should be consulted.

Any matters arising from this inspection will be reviewed at the next inspection.

On behalf of the Austrian Federal Office for Safety in Health Care

Kraßnigg Andreas
am 22.12.2022